

# MORE 2.0

## Where are we?


Estefania Rubio, MD, MPH  
FPQC Data Manager



## OUR AIM

By 3/2022,  $\geq 50\%$  of pregnant women with any opioid use will receive screening, prevention, and treatment services

# Global aim: Improve identification, clinical care and coordinated treatment / support for pregnant women with any opioid use and their infants




<sup>1</sup>Secondary screening: 1) infectious diseases: HIV, HepA, HepB, HepC, GC, CT, syphilis and TB; 2) mental health including postpartum depression; 3) Intimate partner violence

<sup>2</sup> Discharge checklist: 1) Peer counselor visit 2) Postpartum depression screening, 3) Social work consult, 4) Pediatric consult, 5) Contraceptive plan, 6) Scheduled OB postpartum visit, 7) Scheduled Behavioral Health and/or MAT visit or referral, 8) Healthy Start/Home visiting program referral, and 9) patient education bundle (MAT & SUD treatment, infectious/mental health comorbidities, safe sleep, NAS including non-pharmacological management, family planning and Narcan<sup>®</sup> (naloxone) use)

# Screening

- Universal SUD screening for all pregnant women




# Characteristics of MORE women



**1196 women**

**29.3 average age**

**86% Medicaid**



**35%**  
Cesareans


**26%**  
opioids for  
pain at  
discharge

**69%**  
Inadequate/  
No prenatal  
care

# Screening

- Secondary screening for pregnant women with any opioid use


- Intimate partner violence screen
- Mental Health screen
- Infectious disease screen



# Screening

- Secondary screening for pregnant women with any opioid use


- Infectious disease screen



Year	2020				2021		
	Qtr 1	Qtr 2	Qtr 3	Qtr 4	Qtr 1	Qtr 2	Qtr 3
% HIV screened	93%	98%	98%	98%	100%	97%	99%
% HepB screened	89%	98%	96%	97%	100%	96%	94%
% HepC screened	58%	68%	70%	83%	91%	87%	91%
% Gonorrhea screened	86%	87%	87%	92%	98%	94%	97%
% Chlamydia screened	89%	87%	87%	92%	98%	94%	97%
% Syphilis screened	92%	96%	87%	95%	99%	97%	98%

# Prevention

- Documentation of family planning/contraceptive counseling




NOTE: As part of a contraceptive plan, a method must be provided, if method not available, an appointment must be scheduled to provide the method in the contraceptive plan.






# Treatment

- Breastfeeding at discharge
- Rooming-in rates



# Treatment


- Increase MAT/BH services



# Treatment

- Referral to MAT/BH services prior to maternal discharge

- All women
- Women 1<sup>st</sup> identified at delivery admission



# Comprehensive Discharge Planning

- 8% of women received all items of the **education bundle in the last quarter**

Year	2020				2021		
	Qtr 1	Qtr 2	Qtr 3	Qtr 4	Qtr 1	Qtr 2	Qtr 3
% MAT & substance abuse treatment	50%	59%	53%	33%	35%	49%	53%
% Infectious/mental health comorbidities	21%	14%	18%	27%	28%	50%	33%
% Narcan use	15%	1%	5%	10%	14%	17%	23%
% NAS including non-pharm mgmt	31%	38%	43%	38%	39%	31%	44%
% Family planning	43%	57%	55%	65%	75%	74%	70%
% Safe Sleep	53%	83%	86%	89%	93%	89%	85%



# Comprehensive Discharge Planning

- 10% of women received all items of the **discharge bundle in the last quarter**

Year	2020				2021		
	Qtr 1	Qtr 2	Qtr 3	Qtr 4	Qtr 1	Qtr 2	Qtr 3
% Postpartum depression screen	49%	57%	65%	61%	61%	51%	64%
→ % Social work consult	97%	94%	95%	94%	96%	98%	98%
% Contraceptive plan	55%	59%	52%	65%	72%	72%	74%
→ % OB postpartum visit	14%	23%	21%	14%	21%	18%	34%
% Pediatric consult	72%	78%	72%	88%	97%	95%	85%
→ % Behavioral Health/MAT referral	66%	63%	50%	38%	49%	46%	66%
% Healthy Start	85%	77%	75%	76%	84%	85%	87%

# Policies and Procedures

- 80% of hospitals have fully implemented a **universal screening protocol** or guideline for substance use for all pregnant women
- 62% have implemented a guideline or protocol for **post delivery and discharge pain management**
- 54% have completed the local OUD treatment **resources document** to map local community resources

# Policies and Procedures

- Provider/Staff education

	<b>MDs, ARNPs, PAs</b>	<b>RNs</b>	<b>Ancillary staff</b>
Universal Screening	55%	75%	45%
Trauma Informed care	22%	45%	24%
Psychology of addiction	22%	65%	45%
Motivational interviewing	15%	40%	29%
Guideline to reduce opioid use in pain mgmt.	60%	75%	42%
Family planning	45%	39%	42%
Infectious/mental co-morbidities	22%	28%	16%



Thank you for all you do!





**MORE** Attention  
Support  
Services  
Follow-up  
Compassion

**Thank you!**

For MORE resources visit: [www.fpqc.org/MORE](http://www.fpqc.org/MORE)

Questions? email: [erubio1@usf.edu](mailto:erubio1@usf.edu)

