



FQPC Sample Severe Hypertension and Eclampsia Emergency Medication Kit

Antihypertensive Medications:

Labetalol injection* (max dose/day: 300 mg IV)

- 100 mg/20 mL vial
OR
- 10 mg/2mL prefilled syringe

Hydralazine injection (max dose/day per ACOG: 20 mg IV)

- 20 mg/mL vial

Nifedipine Immediate Release capsules (max dose per hypertensive treatment episode: 50 mg)

- 10 mg

Seizure Prophylaxis: Magnesium Sulfate 4–6-gram loading dose over 20 min per ACOG

Magnesium sulfate* (IV): based upon clinical presentation, physician orders and availability*

- 6-gram compounded bag
OR
- 4-gram manufacturer premix bag
OR
if 6-gram ordered and not available in 1 compounded bag:
 - 4-gram manufacturer premix bag PLUS 2-gram manufacturer premix bag

If No IV Access:

- 10 grams Magnesium sulfate injection (INTRAMUSCULAR – if no IV access)
- 5 grams in each buttock
- 5 gram/10 mL [50%] vial

Calcium gluconate injection is immediately available for Magnesium Sulfate Toxicity reversal

- 1000 mg/10 mL [10%] vial

*Concentration based on availability

*Refer to ACOG Algorithms for Dosing Protocols