

# Labetalol

SBP  $\geq$ 160 mm Hg or  
DBP  $\geq$ 110 mm Hg  
Notify MD

Initiate fetal surveillance if  
undelivered and fetus is viable

Recheck BP in 15 min,  
if elevation continues,  
labetalol 20 mg IV over 2 min

Recheck BP  
in 10 min

BP below threshold,  
continue to monitor BP  
closely\*

Elevation continues,  
labetalol 40 mg IV over  
2 min

Recheck BP  
in 10 min

BP below threshold,  
continue to monitor BP  
closely\*

Elevation continues,  
labetalol 80 mg IV over  
2 min

Recheck BP  
in 10 min

BP below threshold,  
continue to monitor BP  
closely\*

Elevation continues,  
hydralazine 10 mg IV  
over 2 min


Recheck BP  
in 20 min

BP threshold achieved,  
continue to monitor  
BP closely\*

Elevation continues, obtain  
emergency consultation

\*BP every 10 min x 1 hr,  
every 15 min x 1 hr, every  
30 min x 1 hr, every hr x 4  
hrs

# Hydralazine



\*BP every 10 min x 1 hr,  
every 15 min x 1 hr,  
every 30 min x 1 hr,  
every hr x 4 hrs

# Immediate – Release Oral Nifedipine

